



**Genba Sopanrao Moze Trust's
Genba Sopanrao Moze college of Engineering
Balewadi, Pune- 411 045.**

STUDENT FEEDBACK ANALYSIS

Department: Civil
Class: SE/TE/BE

Academic Year: 2019-20

Particulars	1	2	3	4	5	6
1	3	3	3	5	3	3
2	5	3	5	3	5	3
3	5	3	3	5	5	3
4	5	5	5	2	3	3
5	5	3	2	5	3	3
6	5	3	2	3	3	2
7	3	3	3	2	2	3
8	3	3	3	5	5	5
9	5	5	3	3	5	3
10	5	5	5	2	3	5
11	2	2	2	5	2	2
12	5	5	5	3	3	5
13	5	5	3	2	5	5
14	5	5	5	5	5	5
15	3	3	3	5	3	3
16	5	3	5	3	5	3
17	5	3	3	3	5	3
18	5	5	5	2	3	3
19	5	3	2	5	3	3
20	5	3	2	3	3	2
21	3	3	3	2	2	3
22	3	3	3	5	5	5
23	5	5	3	5	5	3
24	5	5	5	3	3	5
25	2	2	2	2	2	2
26	5	5	5	5	3	5
27	5	5	3	3	5	5
28	5	5	5	5	5	5
29	4	4	4	2	4	4
30	5	3	5	5	5	3
31	5	3	3	3	5	3
32	5	5	5	2	3	3
33	5	3	2	5	3	3
34	5	3	2	3	3	2
35	3	3	3	2	2	3
36	3	3	3	5	5	5
37	5	5	3	3	5	3
38	5	5	5	2	3	5
39	2	2	2	5	2	2
40	5	5	5	3	3	5
41	5	5	3	5	5	5
42	5	5	5	2	5	5
43	5	5	5	5	5	5
44	3	3	3	3	3	3
45	5	3	5	2	5	3
46	5	3	3	5	5	3
47	5	5	5	3	3	3
48	5	3	2	2	3	3
49	5	3	2	5	3	2
50	3	3	3	3	2	3
51	3	3	3	2	5	5
Total	223	191	179	178	191	181
Count	51	51	51	51	51	51
Average	4.37	3.75	3.51	3.54	3.75	3.55

Summary

- | |
|---|
| 1. Learning value (in terms of skills, concepts, knowledge, analytical abilities) |
| 2. Depth of the course content |
| 3. Syllabus is sufficient to make you analyze the engineering problems and its suitable |
| 4. Relevance for implementation in projects |
| 5. Compatibility with industry standards |
| 6. Applicability /relevance to real life situations |





Genba Sopanrao Moze Trust's
Genba Sopanrao Moze college of Engineering
Balewadi, Pune- 411 045.

TEACHERS FEED-BACK ANALYSIS

Department: Civil

Academic Year: 2019-20

Particulars	1	2	3	4	5
1	5	5	3	3	3
2	5	5	3	3	3
3	3	3	5	3	2
4	5	3	5	5	5
5	5	5	3	5	5
6	5	3	3	3	3
7	5	5	3	3	3
8	5	5	5	5	5
9	5	5	5	5	5
10	5	3	3	3	3
11	5	5	5	3	5
12	5	3	3	3	2
13	5	5	3	3	3
Total	63	55	49	47	47
Count	13	13	13	13	13
Average	4.85	4.23	3.77	3.62	3.62

Summary

1. Learning value (in terms of skills, concepts, knowledge,	-	4.85
2. Depth of the course content	-	4.23
3. Extent of the coverage of course	-	3.77
4. Relevance/learning value of project/report	-	3.62
5. Applicability /relevance to real life situations	-	3.62





**Genba Sopanrao Moze Trust's
Genba Sopanrao Moze college of Engineering
Balewadi, Pune- 411 045.**

PARENTS FEED-BACK ANALYSIS

Department: Civil


Academic Year: 2019-20

Particulars	1	2	3	4
1	4	4	4	5
2	5	5	5	5
3	5	3	5	5
4	5	4	4	4
5	5	5	5	5
6	5	5	5	5
7	4	4	4	5
8	5	5	5	5
9	5	3	5	5
10	5	4	4	4
11	5	5	5	5
12	5	5	5	5
13	4	4	4	5
14	5	5	5	5
15	5	3	5	5
16	5	4	4	4
17	5	5	5	5
18	5	5	5	5
19	4	4	4	5
20	5	5	5	5
21	5	3	5	5
22	5	4	4	4
23	5	5	5	5
24	5	5	5	5
25	5	5	5	5
26	5	3	5	5
Total	126	112	122	126
Count	26	26	26	26
Average	4.85	4.31	4.69	4.85

Summary

1.Is the syllabus capable of adding Learning values	-	4.85
2.Is our syllabus compatible with the industry	-	4.31
3.Is the syllabus sufficient enable students analyze the given problem & identify the necessary solutions	-	4.69
4.Extent of Efforts required by students	-	4.85





Genba Sopanrao Moze Trust's
Genba Sopanrao Moze college of Engineering
Balewadi, Pune- 411 045.
EMPLOYERS FEED-BACK ANALYSIS

Department: Civil

Academic Year: 2019-20

Particulars	1	2	3	4
1	5	5	5	3
2	5	5	3	3
3	3	3	5	3
4	5	3	5	5
5	5	5	3	5
Total	23	21	21	19
Count	5	5	5	5
Average	4.60	4.20	4.20	3.80

Summary


1.Is the syllabus capable of adding Learning values (in terms of skills, concepts, knowledge, analytical abilities or broadening perspectives) in students	-
2.Is our syllabus compatible with the industry standards & applicable/relevant to real life situation	-
3.Is the syllabus sufficient enable students analyze the given problem & identify the necessary solutions	-
4.Extent of Efforts required by students	-



Department of Civil Engineering
Faculty FEEDBACK ON Facility/Ambience
Academic year 2019-20


1. Computer Lab Facility

Below Avg	0%
Satisfactory	15%
Good	30%
Very Good	50%
Excellent	5%
	100%




2. ICT Classroom Facility

Below Avg	0%
Satisfactory	15%
Good	40%
Very Good	30%
Excellent	15%
	100%




3. Library Facility

Below Avg	0.00%
Satisfactory	0.00%
Good	10.00%
Very Good	65.00%
Excellent	25.00%
	100.00%




4. Drinking Water Facility

Below Avg	0.00%
Satisfactory	15.00%
Good	45.00%
Very Good	40.00%
Excellent	0.00%
	100.00%




5. Wash Room Facility

Below Avg	0.00%
Satisfactory	25.00%
Good	45.00%
Very Good	20.00%
Excellent	10.00%
	100.00%




6. Internet Facility

Below Avg	0.00%
Satisfactory	25.00%
Good	45.00%
Very Good	20.00%
Excellent	10.00%
	100.00%



7. Cleanliness in Institute


Below Avg	0.00%
Satisfactory	0.00%
Good	50.00%
Very Good	30.00%
Excellent	20.00%
	100.00%



Department of Civil Engineering
Student FEEDBACK ON Facility/Ambience
Academic year 2019-20

1. Computer Lab Facility


Below Avg	0%
Satisfactory	15%
Good	30%
Very Good	35%
Excellent	20%
	100%



- Below Avg
- Satisfactory
- Good
- Very Good
- Excellent

2. ICT Classroom Facility


Below Avg	0%
Satisfactory	5%
Good	30%
Very Good	50%
Excellent	15%
	100%



- Below Avg
- Satisfactory
- Good
- Very Good
- Excellent

3. Library Facility


Below Avg	0.00%
Satisfactory	0.00%
Good	20.00%
Very Good	60.00%
Excellent	20.00%
	100.00%



- Below Avg
- Satisfactory
- Good
- Very Good
- Excellent

4. Drinking Water Facility

Below Avg	0.00%
Satisfactory	20.00%
Good	35.00%
Very Good	35.00%
Excellent	10.00%
	100.00%




- Below Avg
- Satisfactory
- Good
- Very Good
- Excellent




5. Wash Room Facility

Below Avg	0.00%
Satisfactory	15.00%
Good	65.00%
Very Good	10.00%
Excellent	10.00%
	100.00%




6. Internet Facility

Below Avg	0.00%
Satisfactory	15.00%
Good	40.00%
Very Good	35.00%
Excellent	10.00%
	100.00%



7. Cleanliness in Institute


Below Avg	0.00%
Satisfactory	0.00%
Good	40.00%
Very Good	30.00%
Excellent	30.00%
	100.00%



Department of Civil Engineering
Alumni FEEDBACK ON Facility/Ambience
Academic year 2019-20


1. Computer Lab Facility

Below Avg	0%
Satisfactory	15%
Good	35%
Very Good	40%
Excellent	10%
	100%




2. ICT Classroom Facility

Below Avg	0%
Satisfactory	20%
Good	30%
Very Good	40%
Excellent	10%
	100%




3. Library Facility

Below Avg	0.00%
Satisfactory	5.00%
Good	15.00%
Very Good	40.00%
Excellent	40.00%
	100.00%




4. Drinking Water Facility

Below Avg	0.00%
Satisfactory	10.00%
Good	50.00%
Very Good	40.00%
Excellent	0.00%
	100.00%




5. Wash Room Facility

Below Avg	0.00%
Satisfactory	10.00%
Good	70.00%
Very Good	10.00%
Excellent	10.00%
	100.00%




6. Internet Facility

Below Avg	0.00%
Satisfactory	20.00%
Good	40.00%
Very Good	30.00%
Excellent	10.00%
	100.00%



7. Cleanliness in Institute


Below Avg	0.00%
Satisfactory	0.00%
Good	35.00%
Very Good	45.00%
Excellent	20.00%
	100.00%



Department of Civil Engineering
Employers FEEDBACK ON Facility/Ambience
Academic year 2019-20


1. Computer Lab Facility

Below Avg	0%
Satisfactory	15%
Good	35%
Very Good	30%
Excellent	20%
	100%




2. ICT Classroom Facility

Below Avg	0%
Satisfactory	20%
Good	40%
Very Good	25%
Excellent	15%
	100%




3. Library Facility

Below Avg	0.00%
Satisfactory	0.00%
Good	30.00%
Very Good	20.00%
Excellent	50.00%
	100.00%




4. Drinking Water Facility

Below Avg	0.00%
Satisfactory	25.00%
Good	45.00%
Very Good	30.00%
Excellent	0.00%
	100.00%




5. Wash Room Facility

Below Avg	0.00%
Satisfactory	20.00%
Good	70.00%
Very Good	10.00%
Excellent	0.00%
	100.00%




6. Internet Facility

Below Avg	0.00%
Satisfactory	15.00%
Good	25.00%
Very Good	40.00%
Excellent	20.00%
	100.00%



7. Cleanliness in Institute


Below Avg	0.00%
Satisfactory	5.00%
Good	40.00%
Very Good	20.00%
Excellent	35.00%
	100.00%



Department of Civil Engineering
Parent FEEDBACK ON Facility/Ambience
Academic year 2019-20


1. Computer Lab Facility

Below Avg	0%
Satisfactory	15%
Good	40%
Very Good	30%
Excellent	15%
	100%




2. ICT Classroom Facility

Below Avg	0%
Satisfactory	15%
Good	55%
Very Good	30%
Excellent	0%
	100%




3. Library Facility

Below Avg	0.00%
Satisfactory	0.00%
Good	40.00%
Very Good	30.00%
Excellent	30.00%
	100.00%




4. Drinking Water Facility

Below Avg	0.00%
Satisfactory	10.00%
Good	60.00%
Very Good	30.00%
Excellent	0.00%
	100.00%




5. Wash Room Facility

Below Avg	0.00%
Satisfactory	20.00%
Good	55.00%
Very Good	15.00%
Excellent	10.00%
	100.00%




6. Internet Facility

Below Avg	0.00%
Satisfactory	20.00%
Good	25.00%
Very Good	45.00%
Excellent	10.00%
	100.00%



7. Cleanliness in Institute

Below Avg	0.00%
Satisfactory	10.00%
Good	30.00%
Very Good	30.00%
Excellent	30.00%
	100.00%





**Genba Sopanrao Moze Trust's
Genba Sopanrao Moze college of Engineering
Balewadi, Pune- 411 045.**

ALUMNI FEEDBACK ANALYSIS

Department: Civil
Class: SE/TE/BE

Academic Year: 2019-20

Particulars	1	2	3	4	5	6
1	5	5	3	2	5	5
2	5	3	5	5	3	3
3	5	3	3	5	3	3
4	5	5	5	3	5	3
5	5	3	2	3	3	3
6	5	3	2	3	3	2
7	3	3	3	2	3	3
8	3	3	3	5	3	5
9	5	5	3	5	5	3
10	5	5	5	3	5	5
11	2	2	2	2	2	2
12	5	5	5	3	5	5
13	5	5	3	5	5	5
14	5	5	5	5	5	5
15	3	3	3	3	3	3
16	5	3	5	5	3	3
17	5	3	3	5	3	3
18	5	5	5	3	5	3
19	5	3	2	3	3	3
20	5	3	2	3	3	2
21	3	3	3	2	3	3
22	3	3	3	5	3	5
23	5	5	3	5	5	3
24	5	5	5	3	5	5
25	2	2	2	2	2	2
26	5	5	5	3	5	5
27	5	5	3	5	5	5
28	5	5	5	5	5	5
29	5	3	5	5	3	3
30	5	3	5	5	3	3
31	5	3	3	5	3	3
32	5	5	5	3	5	3
33	5	3	2	3	3	3
34	5	3	2	3	3	2
35	3	3	3	2	3	3
36	3	3	3	5	3	5
37	5	5	3	5	5	3
38	5	5	5	3	5	5
39	2	2	2	2	2	2
40	5	5	5	3	5	5
Total	177	151	141	147	151	142
Count	40	40	40	40	40	40
Average	4.43	3.78	3.53	3.68	3.78	3.55

Summary

- | |
|--|
| 1. Learning value (in terms of skills, concepts, knowledge, analytical |
| 2. Depth of the course content |
| 3. Syllabus is sufficient to make you analyze the engineering problems |
| 4. Relevance for implementation in projects |
| 5. Compatibility with industry standards |
| 6. Applicability /relevance to real life situations |

